








D-K 目皿 (非防水層用) ※製造中止 販売終了予定	32	3,900	JCW204	
	40	4,300	標準図符号	
	50	4,700	D	
	65	6,300	内ねじ	
	80	7,700	ロック式ストレーナ	
	100	8,600		
	125	16,200		
150	24,000			


CK-SUS	40	10,500	JCW-204	
	50	14,600	内ネジ	
	65	21,800	ステンレス製	
	80	31,500	ロック式ストレーナ	
100	46,900			

DK-SUS	32	4,100	JCW-204	
	40	4,400	標準図符号D	
	50	5,000	内ネジ	
	65	6,700	ステンレス製	
	80	8,100	ロック式ストレーナ	
	100	8,900		
	125	16,900		
150	25,100			
200	45,900			


DV-SUS	40	4,000	VP・VU兼用	
	50	4,600	ステンレス製	
	65	6,100		
	80	7,300		
	100	9,100		
125	19,300			
150	30,000			


WPJ-W	65	27,900	公団型	
	80	31,400	J-501	
	100	37,500		
	125	56,700		
	150	74,100		


WPJ-W-BC	65	35,700	公団型	
	80	40,700	J-501	
	100	49,700	バンドキャップ付	
	125	86,400		
	150	107,900		


WPJ-W-BCA	65	40,900	公団型	
	80	46,900	J-501	
	100	60,300	アルミバンド	
	125	102,200	キャップ付	
	150	123,700		


WPJ-WL	65	38,900	積雪地用	
	80	46,200		
	100	56,100		
	125	80,900		

WPJ-WL-BC	65	46,700	積雪地用	
	80	55,500	バンドキャップ付	
	100	68,300		
	125	110,600		

WPJ-WL-BCA	65	51,900	積雪地用	
	80	61,700	アルミバンド	
	100	78,900	キャップ付	
	125	126,400		

WPJ-W用 アンカー皿ビス		1,700	M10	


T3A-K(SU) (非防水層用)	40	16,000	JISA4002	
	50	23,400		
	65	35,200		
	80	47,400		
	★100	73,000		


T3B-K(SU) (防水層用)	40	22,700	JISA4002	
	50	31,700		
	65	44,400		
	80	58,600		
	★100	86,000		

T5AF (非防水層用)	40	13,500	調節管ビス式	
	50	14,600		
	65	25,700		
	80	33,900		
	100	55,400		


T5BF (防水層用)	40	14,600	調節管ビス式	
	50	16,200		
	65	29,800		
	80	37,200		
	100	61,300		


T5AF-EW (非防水層用)	50	19,800	調節管ビス式	
--------------------	----	--------	--------	---


T5BF-EW (防水層用)	50	21,000	調節管ビス式	
-------------------	----	--------	--------	---


T7A-EW (非防水層用)	50	32,200	横型	
-------------------	----	--------	----	---


T7B-EW (防水層用)	50	35,100	横型	
------------------	----	--------	----	--


JT-2E-3 防水パン用	50	28,200	公団型 D-107-O	
------------------	----	--------	----------------	---


JT-4 防水パン用	50	33,900	公団型 D-104	
---------------	----	--------	--------------	---


JT-3 防水パン用	50	27,700	公団型 呼び50 D-103	
---------------	----	--------	----------------------	---

T14AA-K(SU) 目皿付 金属製流し用	40	19,100	JCW-202	
	50	27,700	T14AA	

T14AB-K(SU) 共栓付 金属製流し用	★40	22,000	JCW-202	
	★50	29,900	T14AB	



T14BA-K(SU) 目皿付 コンクリート製流し用	★40	24,400	JCW-202	
	★50	33,700	T14BA	






T14BB-K(SU) 共栓付 コンクリート製流し用	★40	25,700	JCW-202	
	★50	38,200	T14BB	



T14AV 目皿付 JIS金属流し用	40	12,800	公団型 耐熱樹脂製	
--------------------------	----	--------	--------------	---

★印は受注生産品を示します。




SNA - K 非防水層用	40	12,300	JCW - 204 標準図符号 SNA ・印 W 共栓 内ねじ	
	50	16,600		
	65	27,300		
	80	36,200		
	100	49,500		
SNAR 非防水層用	40	10,600	ゴム共栓付 ・印 W 共栓	
	50	14,400		
	65	22,000		
	80	29,300		
	100	41,000		



CODD 非防水層用 排水金具	50	20,900	
	65	22,600	
	80	23,400	
	100	24,600	
	★125	53,100	
CODD - C 非防水層用 排水金具	★40	29,800	
	50	45,800	
	★65	56,300	
	★80	64,900	
	★100	114,200	

COA - K (非防水層用) 床上掃除口	40	5,600	JCW - 203 標準図符号 COA	
	50	5,700		
	65	7,200		
	80	8,400		
	100	10,900		
	★125	21,600		
	★150	27,000		
	COA - F (非防水層用) 床上掃除口	★40		
50		8,400		
65		11,300		
80		13,800		
100		20,900		
COV - F (非防水層用) 床上掃除口	40	7,500	VP 差し込用 パッキン入	
	50	8,400		
	65	11,300		
	80	13,800		
	100	20,900		
COA - F - 2 (非防水層用) 床上掃除口	40	8,500	SGP 差し込用 化粧型 パッキン入	
	50	8,900		
	65	12,500		
	80	15,300		
	100	23,000		
	100	23,000		
COV - F - 2 (非防水層用) 床上掃除口	40	8,500	VP 差し込用 化粧型 パッキン入	
	50	8,900		
	65	12,500		
	80	15,300		
	100	23,000		
	100	23,000		
COB - K (防水層用) 床上掃除口	40	10,500	JCW - 203 標準図符号 COB	
	50	10,900		
	65	13,800		
	80	15,500		
	100	19,400		
	★125	35,600		
	★150	46,300		

BP	15	1,900	
	20	2,300	
	25	2,400	
	32	2,400	
BP - H HASS 規格	40	2,600	
	50	3,400	
	65	4,600	
	80	6,300	
	100	9,200	
	★125	16,500	
	★150	32,200	

BB - A 埋設型	40	6,100	耐触アルミ製 AC7A	
	50	7,500		
	65	11,000		
	80	13,000		
	100	17,600		
	125	33,000		
	★150	37,500		
BC 露出型	40	2,900	鑄鉄製 亜鉛メッキ	
	50	3,700		
	65	4,700		
	80	5,800		
	100	7,600		
	125	22,900		
BC - A 露出型	40	5,900	耐触アルミ製 AC7A	
	50	7,900		
	65	9,900		
	80	12,000		
	100	18,200		
	125	38,700		
	150	41,500		

IDNV - SUS	★40	25,300	VP 用 ステンレス製	
	★50	31,600		
	★65	38,500		
	★80	45,700		
	★100	61,500		
IDN - HS	★40	11,700	半球型 外ねじ	
	★50	12,500		
	★65	19,500		
	★80	22,200		
	★100	27,300		
IDNV - HS	★40	11,700	半球型 VP 用	
	★50	12,500		
	★65	19,500		
	★80	22,200		
	★100	27,300		

IDN	32	3,700	内ねじ 網-ステンレス	
	40	3,700		
	50	4,500		
	65	5,800		
	80	7,200		
	100	9,400		
IDN - V	30	3,300	VP 用 網-ステンレス	
	40	3,300		
	50	4,800		
	65	5,800		
	80	7,200		
	100	8,600		
	★125	16,000		
	★150	29,800		
	★200	68,600		

★印は受注生産品を示します。

建設
鉄器
材用

・格子ふた

品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	25,200	24,000	SHASE-S-209
	350	32,700	31,500	
	400	40,500	39,300	
	450	47,400	46,200	
	★500	65,800	64,400	
	600	81,900	80,500	
CA-H 中耐型	300	20,600	19,400	SHASE-S-209
	350	24,400	23,200	
	400	31,700	30,500	
	450	37,800	36,600	
	★500	49,000	47,600	
	600	70,400	69,000	
CB-H 軽耐型	300	17,600	16,400	SHASE-S-209
	350	21,600	20,400	
	400	27,000	25,800	
	450	31,400	30,200	
	★500	36,700	35,300	
	600	51,000	49,600	


・鋳鉄製ボックス

品番	呼び	定価	備考
B1	150	7,300	JCW-103
止水弁			標準図符号
ガス弁			B1
B1-R	150	6,300	塩ビ管接続用
止水弁			
B2-A-P	300	26,100	JCW-103
B2-B-P	450	46,500	標準図符号
			MHA-P
★B6-1A		58,500	JCW-104
★B6-1B		45,800	標準図符号
★B6-2A		61,300	B6
★B6-2B		50,900	
MB-1	435 × 315	28,700	JCW-105
			標準図符号
			MB-1
			H=55
MB-2	715 × 515	117,200	JCW-105
MB-3	1105 × 715	258,200	標準図符号
			MB-2
			MB-3
			H=75

★印は受注生産品を示します。

・散水栓ボックス

品番	呼び	定価	備考
B3	13A 金具付	15,200	鋳鉄製 土間埋設用
	20A 金具付	17,100	
	固定金具無	14,300	
B3A-HN 文字入り	20	69,400	ステンレス製 ヘアライン仕上 土間埋設用
	25	76,900	
	30	91,700	
B3A-HNK 文字入り	20	75,000	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	82,400	
	30	97,300	
B3W-HN 文字入り	20	82,400	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	89,900	
	30	97,300	
B3W-HNK 文字入り	20	88,000	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	95,600	
	30	103,100	



CD-H



B1




B1-R

・インターロッキングブロック用
床化粧マンホールふた


品番	呼び	定価	備考
OMIS-D 重耐型	300	63,500	スライド式
	350	66,800	蓋ダクタイル製
	450	85,100	鋳鉄目地
	★500	106,100	
	600	125,200	
	750		
	900		
OMIS-DS 重耐型	300	122,500	スライド式
	350	146,700	蓋ダクタイル製
	450	161,200	ステンレス目地
	★500	185,200	
OMIS-1 中耐型	300	61,000	スライド式
	350	65,100	鋳鉄目地
	450	78,400	
	★500	94,400	
	600	111,900	
OMIS-1S 中耐型	300	117,700	スライド式
	350	130,500	ステンレス目地
	450	146,700	
	★500	169,900	
	600	193,300	
OMIS-2 軽耐型	300	51,900	スライド式
	350	55,200	鋳鉄目地
	450	70,200	
	★500	88,600	
OMIS-2S 軽耐型	300	116,200	スライド式
	350	125,700	ステンレス目地
	450	144,800	
	★500	161,200	
	600	169,400	
OMIR-D 重耐型	★450	77,200	鋳鉄目地
	★600	104,700	丸型
OMIS-DH (80mmブロック用)重耐型	450	114,600	スライド式
	600	156,500	蓋ダクタイル製鋳鉄目地



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

品番	呼び	定価	備考
OF-SP-DS 重耐型	300	76,900	蓋ダクタイル製
	350	97,500	ステンレス目地
	450	127,500	
	600	171,500	
OF-SP-1S 中耐型	300	72,700	ステンレス目地
	350	85,000	
	450	112,500	
	600	144,100	
OF-SP-2S 軽耐型	300	68,600	ステンレス目地
	350	78,200	
	450	100,200	
	600	131,700	
OF-SP-1M 中耐型	300	108,000	密閉型
	350	122,300	インサート取手付式
	450	160,700	ステンレス目地
	600	199,500	
OF-SP-1H 中耐型	300	71,700	インサート取手式
	350	81,700	ステンレス目地
	450	116,300	
	600	156,200	

・防臭式マンホールふた


品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	25,200	24,000	HASS
	350	32,700	31,500	標準図符号
	400	42,800	41,600	MHD
	450	43,600	42,400	枠FC
	500	56,800	55,400	
	600	70,100	68,700	
	750	240,400	237,200	
	900	318,400	315,200	
OMH-1 文字入り 文字なし 中耐型	300	21,200	20,000	HASS
	350	27,500	26,300	標準図符号
	400	34,400	33,200	MHA
	450	37,400	36,200	
	500	48,400	47,000	
	600	58,700	57,300	
	750	205,200	202,000	
OMH-2 文字入り 文字なし 軽耐型	300	16,200	15,000	HASS
	350	20,200	19,000	標準図符号
	400	26,600	25,400	MHB
	450	27,000	25,800	
	500	37,500	36,100	
	600	43,400	42,000	
OMH-S-2 CD樹用 軽耐型	350	—	24,000	
	450	—	32,300	
	600	—	52,100	

★印は受注生産品を示します。

建設
用
鉄
器
材

コンパクト型

鋳鉄製 角型ルーフトレン 〈外廊下排水用〉



●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	80	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	9,470	10,650	11,530	12,970
			屋上、庇、バルコニー	平型	ROC-BK	9,100	10,310	11,190	12,910
			廊下、踊場	水平型	ROC-CK	9,100	10,310	11,190	12,910
			バルコニー	中継	ROC-NK	9,470	10,650	11,530	13,420
			屋上(貯水槽張り代50mm)	ドーム型	RWC-EK	10,130	11,260	13,350	16,710
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	7,940	8,920	9,810	11,090
			屋上、庇、バルコニー	平型	ROV-BK	7,570	8,570	9,470	11,030
			廊下、踊場	水平型	ROV-CK	7,570	8,580	9,470	11,030
			バルコニー	中継	ROV-NK	7,940	8,920	9,810	11,540
			モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	6,520
屋上、庇、バルコニー	平型	RMC-BK				6,150	6,970	7,650	9,020
廊下、踊場	水平型	RMC-CK				6,150	6,970	7,650	9,020
バルコニー	中継	RMC-NK				6,520	7,310	7,990	9,530
差し込み式 (VP、VU)	屋上	ドーム型			RMV-AK	5,390	6,130	6,800	8,230
	屋上、庇、バルコニー	平型			RMV-BK	5,020	5,790	6,460	8,170
	廊下、踊場	水平型			RMV-CK	5,020	5,790	6,460	8,170
	バルコニー	中継			RMV-NK	5,390	6,130	6,800	8,680

●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	75	100
シート防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	14,480	15,960	17,940	20,410
				L型	ROH-LK	14,480	15,960	17,940	20,410
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	12,920	14,420	15,940	18,000
				L型	RMH-LK	12,910	14,420	15,940	18,000

●角型ルーフトレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ	
						50	75
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	バルコニー	台形	RMSC-DK	6,290	9,000
				水平型	RMSC-RK	6,290	9,000
		差し込み式 (VP、VU)	バルコニー	台形	RMSV-DK	5,830	8,120
				水平型	RMSV-RK	5,830	8,120